

SECTION 2. Form PTO - 1449 (Modified)

FORM PTO-1499 U.S. DEPARTMENT OF COMMERCE
(Modified) PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.
18326.0000SERIAL NO.
10/018,131APPLICANTS
H. WehbergFILING DATE
October 22, 2001GROUP
3737INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use several sheets if necessary)

PATENT DOCUMENTS

EXAMINER INITIAL	PATENT NUMBER	ISSUE DATE	PATENTEE	CLASS	SUBCLASS
<i>62</i>	3,970,074	July 20, 1976	Mogos, et al	128	2H
<i>↓</i>	4,055,166	Oct. 25, 1977	Simpson, et al	128	2H
<i>↓</i>	4,135,497	Jan. 23, 1979	Meyers, et al	128	2H
<i>↓</i>	DE3020359 (WO8103418)	12/3/81 (publn. date)	W. Hermann		
	<p><u>Summary:</u> The method for picking up and representing thermographic images of biological or technical structures, allows the sensing of abnormal temperature repartitions even when they are very low or when the corresponding areas differ very slightly as to their temperature values with respect to adjacent temperature values. According to this method, the temperature values for each image point of a thermogram are digitally picked up and recorded and the pitch of the local temperature variation is calculated, that is to say the temperature gradient for each image point in relation to its temperature and to the temperature value measured for the point adjacent thereto. For a selected image area, the local repartition of temperature gradients is represented. Abnormal temperature repartitions may thus be sensed, from such representation, where important temperature gradients exist.</p>				
<i>62</i>	4,186,748 (WO7900594)	Feb. 5, 1980	Schlager	128	736
<i>↓</i>	4,524,779 (WO8500508)	June 25, 1985	Brown	128	736
<i>↓</i>	5,995,865	Nov. 30, 1999	Carloni	600	474

RECEIVED

JAN 30 2003


TECHNOLOGY CENTER R3700

EXAMINER

Sally Jan

DATE CONSIDERED 3/3/04.

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



☐ Please type a plus sign (+) in this box

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

PTO/SB/08B (10-96)

Approved for use through 10/31/99, OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 1

Complete if Known

Application Number 10/018,131

Filing Date October 22, 2001

First Named Inventor H. Wehberg

Group Art Unit

Examiner Name

Attorney Docket Number 18326.0000

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or county where published.	Pgs
<i>RF</i>		G. Lauth, G. Mühlberger - Atlas der Plattenthermographie, 1976, Herausgeber: CAWO GmbH, Bremen, Germany Authors examined 10,000 women with LC Thermography (Liquid crystal thermography) from 1972 to 1975 and by excision or fine needle method did find, from 988 cases, 261 carcinomes. More than 100 coloured images show the importance of cooling the breast during examination with a cooling air blower. However, there are no standards to define the degree of cooling and, therefore, it is impossible to gain reproducible images. If one will reach a high sensitivity and specificity it takes a very long time and a great deal of experience to interpret thermographic images.	91

RECEIVED

FEB 25 2003

TECHNOLOGY CENTER R3700

Examiner Signature	<i>Riley</i>	Date Considered	3/3/04
--------------------	--------------	-----------------	--------

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.